

L Number	Hits	Search Text	DB	Time stamp
-	44	((power near3 (sav\$3 or reduc\$4 or conserv\$6 or consum\$6))with (UART or ((universal adj asynchronous)adj3 receiver\$transmitter)))	USPAT; US-PGPUB; IBM_TDB	2004/05/11 12:19
-	1	((power near3 (sav\$3 or reduc\$4 or conserv\$6 or consum\$6))with (UART or ((universal adj asynchronous)adj3 receiver\$transmitter))) and ((clock or frequency or rate)near3 (control\$4 or manag\$4 or reduc\$6 or slow\$3))) and ((selecti\$4 or adapt\$5)near5 ((clock near3 (frequency or speed or rate))))	USPAT; US-PGPUB; IBM_TDB	2004/05/10 16:43
-	29	((power near3 (sav\$3 or reduc\$4 or conserv\$6 or consum\$6))with (UART or ((universal adj asynchronous)adj3 receiver\$transmitter))) and ((clock or frequency or rate)near3 (control\$4 or manag\$4 or reduc\$6 or slow\$3)))	USPAT; US-PGPUB; IBM_TDB	2004/05/11 09:19
-	24	((power near3 (sav\$3 or reduc\$4 or conserv\$6 or consum\$6))with (UART or ((universal adj asynchronous)adj3 receiver\$transmitter))) and ((parallel or serial)near4 (control\$4 or switch\$4))	USPAT; US-PGPUB; IBM_TDB	2004/05/10 17:10
-	20475	((clock near3 (frequency or speed or rate))near4 (control\$4 or chang\$4 or switch\$4 or select\$4))	USPAT; US-PGPUB; IBM_TDB	2004/05/11 09:14
-	22117	((clock near3 (frequency or speed or rate))near4 (control\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4))	USPAT; US-PGPUB; IBM_TDB	2004/05/11 10:51
-	361	((clock near3 (frequency or speed or rate))near4 (control\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4)) with (communication or uart)	USPAT; US-PGPUB; IBM_TDB	2004/05/11 09:15
-	3	((clock near3 (frequency or speed or rate))near4 (control\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4)) with (communication or uart) and ((data near2 (loss or disrrupt\$3 or los\$4))same serial)	USPAT; US-PGPUB; IBM_TDB	2004/05/11 09:16
-	17	((clock near3 (frequency or speed or rate))near4 (control\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4)) and (((power near3 (sav\$3 or reduc\$4 or conserv\$6 or consum\$6))with (UART or ((universal adj asynchronous)adj3 receiver\$transmitter))) and ((clock or frequency or rate)near3 (control\$4 or manag\$4 or reduc\$6 or slow\$3)))	USPAT; US-PGPUB; IBM_TDB	2004/05/11 10:17
-	17	((clock near3 (frequency or speed or rate))near4 (control\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4)) and (((power near3 (sav\$3 or reduc\$4 or conserv\$6 or consum\$6))with (UART or ((universal adj asynchronous)adj3 receiver\$transmitter))))	USPAT; US-PGPUB; IBM_TDB	2004/05/11 10:21
-	4	((clock near3 (frequency or speed or rate))near4 (control\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4))with (UART or ((universal adj asynchronous)adj3 receiver\$transmitter))) and ((power near3 (sav\$3 or reduc\$4 or conserv\$6 or consum\$6)))	USPAT; US-PGPUB; IBM_TDB	2004/05/11 10:24
-	1	((clock near3 (frequency or speed or rate))near4 (control\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4))with (UART or ((universal adj asynchronous)adj3 receiver\$transmitter))) and (((power near3 (sav\$3 or reduc\$4 or conserv\$6 or consum\$6))with (UART or ((universal adj asynchronous)adj3 receiver\$transmitter))))	USPAT; US-PGPUB; IBM_TDB	2004/05/11 10:21

-	6	((clock near3 (frequency or speed or rate))near4 (control\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4))with (UART or ((universal adj asynchronous)adj3 receiver\$transmitter))) and ((power near3 (low or sav\$3 or reduc\$4 or conserv\$6 or consum\$6)))	USPAT; US-PGPUB; IBM_TDB	2004/05/11 10:25
-	25	((clock near3 (frequency or speed or rate))near4 (control\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4))with (UART or ((universal adj asynchronous)adj3 receiver\$transmitter))	USPAT; US-PGPUB; IBM_TDB	2004/05/11 10:41
-	8	((clock near3 (frequency or speed or rate))near4 (control\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4))with (UART or ((universal adj asynchronous)adj3 receiver\$transmitter))	EPO; JPO; DERWENT	2004/05/11 10:42
-	199	((frequency or speed or rate))near4 (control\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4))with (UART or ((universal adj asynchronous)adj3 receiver\$transmitter))	USPAT; US-PGPUB; IBM_TDB	2004/05/11 12:20
-	4	((frequency or speed or rate))near4 (control\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4))with (UART or ((universal adj asynchronous)adj3 receiver\$transmitter))) and ((power near3 (sav\$3 or reduc\$4 or conserv\$6 or consum\$6))with (UART or ((universal adj asynchronous)adj3 receiver\$transmitter)))	USPAT; US-PGPUB; IBM_TDB	2004/05/11 10:54
-	74	((frequency or speed or rate))near4 (control\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4))with (UART or ((universal adj asynchronous)adj3 receiver\$transmitter))) and ((power near3 (manag\$4 or low\$3 or sav\$3 or reduc\$4 or conserv\$6 or consum\$6)))	USPAT; US-PGPUB; IBM_TDB	2004/05/11 10:55
-	9	((frequency or speed or rate))near4 (control\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4))with (UART or ((universal adj asynchronous)adj3 receiver\$transmitter))) same ((power near3 (manag\$4 or low\$3 or sav\$3 or reduc\$4 or conserv\$6 or consum\$6)))	USPAT; US-PGPUB; IBM_TDB	2004/05/11 10:55
-	1	5832207.pn.	USPAT	2004/05/11 12:18
-	1	5661751.pn.	USPAT	2004/05/11 12:18
-	47	(power near3 (sav\$3 or reduc\$4 or manag\$4 or conserv\$6 or consum\$6))with (UART or ((universal adj asynchronous)adj3 receiver\$transmitter))	USPAT; US-PGPUB; IBM_TDB	2004/05/11 12:20
-	198	(power near3 (sav\$3 or reduc\$4 or manag\$4 or conserv\$6 or consum\$6))same (UART or ((universal adj asynchronous)adj3 receiver\$transmitter))	USPAT; US-PGPUB; IBM_TDB	2004/05/11 12:20
-	14	((power near3 (sav\$3 or reduc\$4 or manag\$4 or conserv\$6 or consum\$6))same (UART or ((universal adj asynchronous)adj3 receiver\$transmitter))) and (((frequency or speed or rate))near4 (control\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4))with (UART or ((universal adj asynchronous)adj3 receiver\$transmitter)))	USPAT; US-PGPUB; IBM_TDB	2004/05/11 12:27
-	4	((power near3 (sav\$3 or reduc\$4 or manag\$4 or conserv\$6 or consum\$6))with (UART or ((universal adj asynchronous)adj3 receiver\$transmitter))) and (((frequency or speed or rate))near4 (control\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4))with (UART or ((universal adj asynchronous)adj3 receiver\$transmitter)))	USPAT; US-PGPUB; IBM_TDB	2004/05/11 12:21

-	101	((power near3 (sav\$3 or reduc\$4 or manag\$4 or conserv\$6 or consum\$6))same (UART or ((universal adj asynchronous)adj3 receiver\$transmitter))) and (((frequency or speed or rate))near4 (control\$4 or chang\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4)))	USPAT; US-PGPUB; IBM_TDB	2004/05/11 12:27
-	2220	((clock near3 (frequency or speed or rate))near4 (control\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4))with ((enable or selection or control)adj (signal or input))	USPAT; US-PGPUB; IBM_TDB	2004/05/13 10:19
-	0	((clock near3 (frequency or speed or rate))near4 (control\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4))with ((enable or selection or control)adj (signal or input))) and (default with serial)	USPAT; US-PGPUB; IBM_TDB	2004/05/13 10:20
-	0	((clock near3 (frequency or speed or rate))near4 (control\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4))with ((enable or selection or control)adj (signal or input))) and (default with serial adj communication))	USPAT; US-PGPUB; IBM_TDB	2004/05/13 10:21
-	29	((clock near3 (frequency or speed or rate))near4 (control\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4))with ((enable or selection or control)adj (signal or input))) with (power near3 (sav\$3 or conser\$7 or consum\$7 or reduc\$4))	USPAT; US-PGPUB; IBM_TDB	2004/05/13 10:25
-	4	((clock near3 (frequency or speed or rate))near4 (control\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4))with ((enable or selection or control)adj (signal or input))) with (power near3 (sav\$3 or conser\$7 or consum\$7 or reduc\$4))) and (UART or communication or ((universal adj asynchronous)adj3 receiver\$transmitter))	USPAT; US-PGPUB; IBM_TDB	2004/05/13 10:25
-	1	((clock near3 (frequency or speed or rate))near4 (control\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4))with ((enable or selection or control)adj (signal or input))) with (power near3 (sav\$3 or conser\$7 or consum\$7 or reduc\$4))) and (UART or ((universal adj asynchronous)adj3 receiver\$transmitter))	USPAT; US-PGPUB; IBM_TDB	2004/05/13 10:25
-	12	((clock near3 (frequency or speed or rate))near4 (control\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4))with ((enable or selection or control)adj (signal or input))) with (UART or communication or ((universal adj asynchronous)adj3 receiver\$transmitter))) and (power near3 (sav\$3 or conser\$7 or consum\$7 or reduc\$4))	USPAT; US-PGPUB; IBM_TDB	2004/05/13 10:26
-	2	((clock near3 (frequency or speed or rate))near4 (control\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4))with ((enable or selection or control)adj (signal or input))) with (UART or ((universal adj asynchronous)adj3 receiver\$transmitter))	USPAT; US-PGPUB; IBM_TDB	2004/05/13 10:26
-	32	((clock near3 (frequency or speed or rate))near4 (control\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4))with ((enable or selection or control)adj (signal or input))) with (UART or communication or ((universal adj asynchronous)adj3 receiver\$transmitter))	USPAT; US-PGPUB; IBM_TDB	2004/05/13 10:29

-	2	(((clock near3 (frequency or speed or rate))near4 (control\$4 or chang\$4 or adjust\$4 or switch\$4 or select\$4))with ((enable or selection or control)adj (signal or input))) same (UART or ((universal adj asynchronous)adj3 receiver\$transmitter))	USPAT; US-PGPUB; IBM_TDB	2004/05/13 10:29
---	---	---	--------------------------------	------------------